



CATALOGUE

2026

CATALOGUE

CONTENTS



Powering Your World with **Smart** Electrical solutions

Brightex , powered by LED Smart Solutions, isn't just about electrical supplies,
It's about illuminating your vision with new products and exceptional service.

we understand the importance of getting it right, that's why we offer a
comprehensive rang of high quality electrical solutions encompassing cuttingedge
LED technology and trusted traditional options with very fair price.



CUSTOMER FIRST

We prioritize your satisfaction
and exceed your expectations.



WIDE RANGE

Everything you need from
lighting to wiring, all under
one roof.



QUALITY ASSURED

High quality materials and
rigorous testing for safety
and reliability.



TRUSTED PERFORMANCE

Products built to last and
deliver superior performance
every time.



SAFE



RELIABLE



ENERGY
EFFICIENT




FOR EVERY
SPACE



LED DOWNLIGHTS

High efficiency linear lighting solutions



AVAILABLE SIZES



Brushed Gold Shiny Chrome Shiny Gold White Frame Matt Black Brushed Chrome Dark Chrome



Brushed Gold Dark Chrome Shiny Gold Matt Black Shiny Chrome White Frame Brushed Chrome



Brushed Chrome Dark Chrome Shiny Gold Matt Black Shiny Chrome White Frame



White Frame



Brushed Chrome



	Model NO	Watt	frame Size	Cut size	In carton
 Brushed Gold	BLGU10RID-BG	Max.35W	80X110mm	70mm	100 PCS
 Shiny Chrome	BLGU10RID-SC	Max.35W	80X110mm	70mm	100 PCS
 Shiny Gold	BLGU10RID-SG	Max. 35W	80X110mm	70mm	100 PCS
 White Frame	BLGU10RID-W	Max. 35W	80X110mm	70mm	100 PCS
 Matt Black	BLGU10RID-MB	Max. 35W	80X110mm	70mm	100 PCS
 Brushed Chrome	BLGU10RID-BC	Max. 35W	80X110mm	70mm	100 PCS
 Dark Chrome	BLGU10RID-DC	Max. 35W	80X110mm	70mm	100 PCS

GU10 Ring Holder

- Easy- to- install design with a secure twist-and-lock mechanism.
- Perfectly engineered for bright and focused illumination.



SCAN ME !



GU10 Holder



Max. 35W



IP 20



70mm



2 Years Warranty



Brushed
Gold

Shiny
Chrome

Shiny
Gold

White
Frame

Matt
Black

Brushed
Chrome

Dark
Chrome



	Model NO	Watt	Frame Size	Cut size	In carton
 Shiny Gold	BLGU10SID-SG	Max. 35W	85X95mm	70mm	100 PCS
 Dark Chrome	BLGU10SID-DC	Max. 35W	85X95mm	70mm	100 PCS
 Brushed Gold	BLGU10SID-BG	Max. 35W	85X95mm	70mm	100 PCS
 Matt Black	BLGU10SID-MB	Max. 35W	85X95mm	70mm	100 PCS
 Shiny Chrome	BLGU10SID-SC	Max. 35W	85X95mm	70mm	100 PCS
 White Frame	BLGU10SID-W	Max. 35W	85X95mm	70mm	100 PCS
 Brushed Chrome	BLGU10SID-BC	Max. 35W	85X95mm	70mm	100 PCS

Downlights IP20

- They are easy to install and work well with energy-efficient LED bulbs.



SCAN ME !



GU10 Holder



Max. 35W



90min. fire rated



70mm



2 Years Warranty



Shiny
Gold

Dark
Chrome


Brushed
Gold

Matt
Black

Shiny
Chrome

White
Frame

Brushed
Chrome



	Model NO	Watt	Frame Size	Cut size	In carton
 Brushed Chrome	BLGU10LOD-BC	Max 35W	85X115mm	70mm	50 PCS
 Dark Chrome	BLGU10LOD-DC	Max 35W	85X115mm	70mm	50 PCS
 Shiny Gold	BLGU10LOD-SG	Max35W	85X115mm	70mm	50 PCS
 Matt Black	BLGU10LOD-MB	Max 35W	85X115mm	70mm	50 PCS
 Shiny Chrome	BLGU10LOD-SC	Max 35W	85X115mm	70mm	50 PCS
 White Frame	BLGU10LOD-W	Max 35W	85X115mm	70mm	50 PCS

Downlights IP65

- Comes in different colors.
- High quality aluminum alloy material.



SCAN ME !



GU Holder



Max 35W



90min. fire rated



70mm



2 Years Warranty



Brushed
Chrome



Dark
Chrome



Shiny
Gold



Matt
Black



Shiny
Chrome



White
Frame



	Model NO	Watt	Lumen	frame ize	Cut Size	In Carton
 White frame	BLDL76500D-WP	7W	630L	87x64mm	70mm	50 PCS
 Shiny chrome	BLDL74000D-WP	7W	630L	87x64mm	70mm	50 PCS

DEEP ANTI-GLARE DESIGN

Deeep recessed structure reduces glare and delivers comfortable visual lighting





PREMIUM FINISH

brushed chrome finish for a sleek and modern look that fits any interior



3CCT SELECTABLE

Easily switch between 3 color temperatures to create the perfect ambiance.



COB Downlights 7W

- Comes in three different colors (Brushed Chrome - White Frame).
Can be installed in offices/Living rooms/Bathrooms/Kitchens etc.
- High quality aluminum alloy material and Led driver.



7
Watt



90min.
Fire rated



IP65
waterproof



70mm
Cut Size



2 Years
Warranty



SCAN ME !

OFFICE PANEL LIGHTS

High efficiency linear lighting solutions



AVAILABLE SIZES



led square Panel 48W



Led square Panel 40W-3CCT




Sky Panel 48W



Diamond Panel 72W



Diamond Panel 72W



Frame Panel 50W



Panel Surface Mounting Kit



Flickering Free



>0.5 Power Factor



IP 20



AC220-240V



2 Years Warranty



**3 Colour
Selectable**



**Rated Voltage
AC220-240V**



**30,000
HOURS Long
Lifetime**



**Power Factor
>0.9**

3 COLOR MODES



**3000K
WarmWhite**



**4000K
Daylight**



**6500K
Cool White**



Square Panel

- Ultra slim design.
- Tested up to 15,000 switches (on/off).
- Isolated driver for long life.



SCAN ME !



Model NO	Watt	lumen	Size	Colour	In Carton
BLPL4065001325D	40W	3600L	60X60cm	3CCT 3000K, 4000K, 6500K	10 PCS
BLPL4865002500	48W	4320L	60X60cm	Cool White(6500K)	10 PCS



Model NO	Watt	lumen	Size	Colour	In Carton
IAMLSPL486500A	48W	4320L	60X60cm	6500K Cool White	1 Set
BLSPL486500A	48W/each	4320L/each	60X60cm	6500K Cool White	4 Sets



Sky Panel Light

- Ultra slim design.
- Isolated driver for long life.
- Tested up to 15,000 switches (on/off).



SCAN ME !



Energy Saving



30.000Hours



Flickering Free



AC 220-240V



2 Years Warranty



Model NO	Watt	lumen	Size	Colour	In Carton
BLPL7265001325D	72W	7200L	600X600mm	Cool White (6500K)	10 PCS
BLPL7265001325DB	72W	7200L	600X600mm	Cool White + Blue	10 PCS



Energy Saving



Long Lifetime



Flickering Free





AC 220-240V



2 Years Warranty

Diamond Panel

Modern LED Geometric Panel Light



Cool White
& Blue



IP20




>0.9
Power
Factor



SCAN ME !

About the item

- Modern flat style.
- Easy installation.
- Tested up to 15,000 switches (on/off).



6500K
COOL
WHITE

Frame Panel Light

- Ultra slim design.
- Easy installation.
- Isolated driver for long life.



SCAN ME !



Energy Saving



30.000Hours



Flickering Free




AC 220-240V



2 Years Warranty



Model NO	Watt	lumen	Size	Colour	In Carton
BLPL4865001325F	50W	5000L	60X60cm	Cool White (6500K)	10 PCS
PLSMK-SL01	Surface Mounting Kit		60X60cm	White	10 PCS



LED BATTEN LIGHTS

High efficiency linear lighting solutions

AVAILABLE SIZES

Led Batten lights- IP65



5FT



6FT

Led Batten lights



4 FT



5 FT



6 FT

Led Batten lights-Linkable



2 FT



3 FT



4 FT



AC 220-240V



Flickering Free



6500K-4000K



Smart led



2 Years Warranty



3 COLOUR MODES IN ONE LIGHT

Cool White
7000K



Daylight
4000K



WarmWhite
3000K



COLOUR SWITCH

7000K

4000K

3000K



Model NO	Watt	lumen	Size	Colour	In Carton
81-IAMT60W70005	60W	6000L	1500X77X81 mm	3CCT 3000K, 4000K, 6500K	10 PCS
81-IAMT72W70006	72W	7200L	1800X77X81 mm	3CCT 3000K, 4000K, 6500K	10 PCS



Power Factor
>0.9



Rated Voltage
AC 165-265V



2 Years
Warranty

Led Batten-IP65

- High-lumen LED batten with aluminum base and PC cover.
- IP65 waterproof design with 3 selectable colour modes.



SCAN ME !



80%
Energy
Saving



3 CCT
3 Colour
Selectable



IP65
Water & Dust
Proof



30.000
Hours



In the box





Saving energy



30.000Hours



AC 220-240V



High Lumen



Smart IED



Cool White & Day light

Led Batten IP20

- Higher wattage and higher lumen.
- High quality aluminium base batten with PC Plastics cover.



SCAN ME !

Model NO	Watt	lumen	Size	Colour	In Carton
81-BT50W70004	50W	6000L	4ft	Cool White (6500K)	20 PCS
81-BT50W40004	50W	6000L	4ft	Day Light (4000K)	20 PCS
81-BT60W70005	60W	7200L	5ft	Cool White (6500K)	20 PCS
81-BT60W40005	60W	7200L	5ft	Day Light (4000K)	20 PCS
81-BT72W70006	72W	8640L	6ft	Cool White (6500K)	20 PCS
81-BT72W40006	72W	8640L	6ft	Day Light (4000K)	20 PCS



In the box



BRIGHTEN EVERY SPACE

High quality lighting
for modern spaces



40,000
HOURS



AC 220-240V
Rated Voltage



>0.9
Power Factor



High Color
Rendering



120°
Beam Angle


Model NO	Watt	lumen	Size	Colour	In Carton
81-BT30W70002-C	30W	3000L	2ft	Cool White (6500K)	80 PCS
81-BT30W70003-C	40W	4000L	3ft	Cool White (6500K)	40 PCS
81-BT50W70004-C	50W	6000L	4ft	Cool White (7000K)	20 PCS
81-BT50W40004-C	50W	6000L	4ft	Day Light (4000K)	20 PCS

Led Batten-linkable

- Higher wattage, higher lumen and high quality.
- High quality aluminium base batten with PC Plastic cover.



SCAN ME !





Note: You can connect more than 10 battens in a single series.



In the box







Item No. **BSO213D**



2 gang 13a switched socket double pole

Item No. **BSO113D**



1 gang 13a switched socket double pole

Item No. **BO213D**



2 gang 13a unswitched socket

Item No. **BSO213S**



2 gang 13a switched socket single pole

Item No. **USB13D**



13A 2 Gang DP Switched USB Sockets with type A+c



Curve Corner Shape

Item No. **BW1102W**



10a 1 gang 2 way switch

Item No. **BW2102W**




10a 2 gang 2 way switch

Item No. **BW3102W**



10a 3 gang 2 way switch

Item No. **BW4102W**



10a 4 gang 2 way switch

Item No. **BW6102W**



10a 6 gang 2 way switch



Curve Corner Shape

Item No. BS1



1 Gang satellite

Item No. BS2



2 Gang TV/Satellite

Item No. BRJ451



1g RJ45 Data socket, CAT6

Item No. BRJ452




2g RJ45 Data socket, CAT6

Item No. BRJ11



1 gang RJ11

Item No. BW113FD



13a fused unit double pole switch



Curve Corner Shape

Item No. **BW113FDN**



13a fused unit double pole switch with neon

Item No. **BW1202W**



20a double pole switch with neon

Item No. **BD114002W**



1 gang 2ways Dimmer

Item No. **BW110I**



10a intermediate switch

Item No. **BW110TF**



10a triple pole fan isolated switch

Item No. **BDBO1**




Doorbell Switch



Curve Corner Shape

Item No. **BW145DN**




45a double pole switch (With Neon)

Item No. **BW145DNT**



45a double pole switch with neon tall plate

Item No. **BW024513N**



45a double pole switch + 13A socket with neon

Item No. **BP45C**



45a cooker cable outlet




Curve Corner Shape

Item No. **BPB351**



35mm 1 gang pattress box

Item No. **BPB352**



35mm 2 gang pattress box

Item No. **BPB251**



25mm 1 gang pattress box

Item No. **BPB252**



25mm 2 gang pattress box




Curve Corner Shape

Item No. BSO213S-S



2 gang 13a switched socket
single pole -Square

Item No. BW4102W-S



10a 4 gang 2 way switch
Square

Item No. BSO213D-S




2 gang 13A S witched socket
Double Pole -Square

Item No. BW113FD-S



13a fused unit double pole switch
Square

Item No. USB13D-S



13A 2 Gang DP Switched USB
Sockets with type A+c
square

Item No. BP45C-S



45a cooker cable outlet
square



Square Corner Shape

Item No. **BW145DN-S**



**45A Double pole switch
with Neon -Square**

Item No. **BW113FDN-S**



**45A double pole switch
with neon -Square**

Item No. **BW2102W-S**




**10a 2 gang 2 way switch
Square**

Item No. **BW3102W-S**



**10a 3 gang 2 way
switch -Square**

Item No. **BSO113D-S**



**1 gang 13a switched socket
double pole square**



Square Corner Shape

Item No. BW1102W-S



10a 1gang 2 way
Switch square

Item No. BW110TF-S



10a triple pole fan
isolated Switch square



Item No. BW110I-S



10A Intermediate Switch
Square

Item No. BW1202W-S



20A double Pole Switch with Neon
Square



Square Corner Shape

Item No. **PS1011**



10A1 Gang 1 Way Pull switch

Item No. **PR98B**



**P22 Pendant & Rose with Gin
Cable White**

Item No. **JB94**



**20A Junction Box 90mm3
Terminal White**

Item No. **PR68B**



**P22 Pendant & Rose with
9In Cable-White**

Item No. **PS1012**



10A1 Gang 2 Way Pull Switch

Item No. **JB84**



**30A Junction Box 90mm3
Terminal White**

Accessories

EXTENSION

Power multiple devices from a single outlet easily and safely.



AVAILABLE SIZES



3 Gang



4 Gang



50Hz
frequency



AC220-240V
Voltage



13A
Fused



3 /4
Gang



2 Years
Warranty



Model NO	Voltage	Cable length	Gang	In Carton
BXC3G2M	AC220-240V	2Metres	3Gang	50 PCS
BXC4G2M	AC220-240V	2Metres	4Gang	50 PCS
BXC4G3M	AC220-240V	3Metres	4Gang	25 PCS



Extension Leads

- Save space and keep things tidy.
- The power strip comes with 2 wall hooks for easy wall mounting.



50Hz
frequency



AC220-240V
Voltage



13A
Fused



2 / 3
Metres

LED Surface panels

High efficiency linear lighting solutions



AVAILABLE SIZES



20W



35W



36W



25W



25W
Sensor



AC 220-240V



Flickering Free



Energy Saving



30.000Hours



2 Years Warranty



Smart LED



AC220-240V



30.000Hours



Flickering Free

Led Surface panel


- The product lasted up to 15,000 switches (on/off).
- New technology save more than 80% of electricity.
- Low energy consumption, saving electricity.



SCAN ME !



7000K
COOL
WHITE



Model NO	Watt	lumen	Size	IP	Efficacy	In Carton
BLP36700F	35W	3200L	10 Inch	54	Cool white 7000K	20 PCS
BLPL20700FL	20W	1800L	8 Inch	54	Cool white 7000K	20 PCS



IP45



AC220-240V



30.000Hours



Flickering Free

Surface Panel

- Superior Brightness, Higher wattage and higher lumen
- Driver, screw, mounted plate and all needed accessories are included.
- Special driver which granted the level of quality that our clients deserve.



SCAN ME !



7000K
COOL
WHITE



Model NO	Watt	lumen	Size	IP	Color	In Carton
BLPL36700FL	36W	3240L	9 Inch	45	Cool white 7000K	20 PCS



**3 Colour
Selectable**



**Rated Voltage
AC220-240V**



**Waterproof
IP65**



**frequency
50/60Hz**

3 COLOUR MODES



3000K

WarmWhite



4000K

Daylight



6500K

Cool White



Ceiling Lamp

- Higher wattage, higher lumen and high quality.
- High quality aluminium base batten with PC plastic cover.



SCAN ME !



Model NO	Watt	lumen	Size	PE	Efficacy	In Carton
PLCL253T	25W	2125L	28X8cm	>0.9	85LM/W	20 PCS
PLCL253T-S	25W With sensor	2125L	28X8cm	>0.9	85LM/W	20 PCS



A modern living room with a large window, a white sofa, a coffee table, and a TV. The ceiling features recessed LED lighting strips and spotlights, creating a warm and ambient atmosphere.

LED RECESSED PANEL

In Compliance with British Standards

AVAILABLE SIZES

Led Recessed Panels



20W- 8Inch



6W- 4Inch



5W- 3Inch

Led Dual Color Panel



6W+3W



80%
Energy Saving



AC220-240V
Rated Voltage



30.000Hours
Life Span




Model NO	Watt	lumen	Size	Cut size	Color	In Carton
BLPL565001325	5W	300L	3 Inch	70mm	7000K Cool white	100 PCS
PRPL6700	6W	540L	4 Inch	100mm	6500K Cool white	40 PCS
BLDLRP00086000	20W	1800L	8 Inch	200mm	6500K Cool white	30 PCS

Led Recessed Panel




- Easy installation, easy replacement, easy re-connection.
- LED panel light with new technology save more than 80% of electricity.



SCAN ME !



**7000K
Cool
WHITE**



80%
Energy Saving



AC220-240V
Rated Voltage



30.000Hours
Life Span



>0.9
Power Factor




Model NO	Watt	lumen	Size	Cut Size	Driver	In Carton
BDCPL6500B6-3	6W+3W	540L	145x10mm	200mm	Yes	40 PCS

Dual Color 6+3W

- Easy installation, easy replacement and easy re-connection.
- LED panel light with new technology save more than 80% of electricity.



SCAN ME!



Turn on power.



**Cool White
&
Day Light**



**Rated Voltage
AC220-240V**



**Life Span
30.000Hours**



**>0.9
Power Factor**



FLOODLIGHTS

In compliance with British Standards

AVAILABLE SIZES



30W



50W



30W



50W



100W



Saving Energy



Easy to install





IP65 waterproof



**50/60Hz
AC 220-240V**



120° Beam Angle



SCAN ME !



Model NO	Watt	Lumen	Size	Color	In Carton
BBFL10307000100	30W	3000L	160X30X121mm	6500K Cool white	20 PCS
BBFL10507000200	50W	5000L	205X30X147mm	6500K Cool white	20 PCS

Floodlights

- Excellent Brightness & Energy Saving.
- It can be widely used both indoor and outdoor.




IP65



50.000Hours



2 Years Warranty



Model NO	Watt	Lumen	Size	Color	In carton
BBFL0307000100WS	30W	3300L	153X29X127mm	6500K Cool white	40 PCS
BBFL0507000200WS	50W	5500L	201X23X167mm	6500K Cool white	20 PCS
BBFL10070003000	100W	11000L	285X30X265mm	6500K Cool white	10 PCS



EXTRACTOR FANS

High Efficiency Linear Lighting Solutions



AVAILABLE SIZES

Standard fans



4 Inch



6 Inch

Timer fans



4 Inch



6 Inch



Saving Energy



AC 220-240V



Easy to install



IP X4



2 Years Warranty



Energy Saving



**AC 220-240V
50/60Hz**





**IP
X4**



**ABS
Material**



**2
Years**



Fan

- It comes in 2 sizes (4 inch-6 inch)
- Standard and timer fan suitable for bathroom and kitchen.
- Support ceiling installation, wall or window installation.



SCAN ME !



	Model NO	Watt	Air flow	Noise	Size	In Carton
Standard fan	BFS100	14W	80 m ³ /h	33 dB(A)	4 Inch	20 PCS
	BFS150	22W	250 m ³ /h	37 dB(A)	6 Inch	20 PCS
Timer fan	BFS100-T	14W	80 m ³ /h	33 dB(A)	4 Inch	20 PCS
	BFS150-T	22W	250 m ³ /h	37 dB(A)	6 Inch	20 PCS



EMERGENCY LIGHTS & SENSORS

In Compliance with British Standards

AVAILABLE Models



Emergency light



Infrared Sensor Recessed



Infrared Sensor with surface motion



Motion Detection



IP65 waterproof



Auto On/Off



Angle 360°



2 Years Warranty

Emergency Lights

Smart lighting, Automatic control and Energy saving.



Smart Motion Detection

Automatically turns on the light
When motion is detected.



Energy Saving

Reduces energy consumption
by turning off lights when not
in use.



Easy Installation

Compact design for quick
and easy ceiling installation.



AC 220-240
50/60Hz



IP65






Maintained & Non Maintained



2 Years Warranty

COMPONENTS



* Ability to Change instruction sign



	Watt	Battery	Size	Color	IP	Emergency	Extra options
MSS-1	5W	2200mAh	355×58X110 mm	6500K Cool white	65	4 hours	maintained and non-maintained

Recessed motion sensor

Smart lighting. Automatic control.
Energy saving.



Smart Motion Detection

Automatically turns on the light
When motion is detected.



Energy Saving

Reduces energy consumption
by turning off lights when not
in use.



Easy Installation

Compact design for quick
and easy ceiling installation.



Staircase



Outdoor



Ceiling



Corridor



Recessed motion sensor

- Excellent motion sensor & Energy Saving.
- It can be widely used in outdoor and indoor.



SCAN ME !


DETAILS




PRODUCT



CONNECTION SKETCH



HOW TO INSTALL



Motion Detection



Auto On/Off



Detection Angle 360



2 YEARS Warranty

	Wattage	Time setting	Size	Installation Height	Detection angle	Detection Range	Detection Speed
MSR-1	200 w (LED) 800 w (Incandescent)	15 min	50×50×40 mm	2.2-4 m	360°	8m Max(24 °C)	0.6~1.5m/s

Surface motion sensors

Smart lighting .Automatic control.
Energy saving.



Smart Motion Detection

Automatically turns on the light
When motion is detected.




Energy Saving

Reduces energy consumption
by turning off lights when not
in use.




Easy Installation

Compact design for quick
and easy ceiling installation.



Staircase



Corridor



Closet






Bathroom

Surface Motion sensors

- Excellent motion sensor & Energy Saving.
- It can be widely used in outdoor and indoor.



SCAN ME !



Motion Detection



Auto On/Off



Detection Angle 360



2 YEARS Warranty

	Watt	setting Time	Size	Power consumption	Detection angle	Detection Range	Detection Speed
MSS-1	200 w (LED) 800 w (Incandescent)	7 min	90×30 mm	0.5 w	360°	8m Max(24 °C)	0.6~1.5m/s

LED STRIP LIGHTS

Compliance with Standards



AVAILABLE SIZES



SMD strip Lights



COB strip lights



RGB IP20



Energy Saving



Smart Led



high
Brightness



Decorative
lighting



1 Year Warranty

LED SMD Strip

- Can be cut by every 10mm, but only cut between the soldering pads.



SCAN ME !



Very brightness



10w/m



IP65




10cm




2 Years Warranty

INSTALLATION



Cuttable every 10CM



**strong adhesive tape
for easy installation**

APPLICATION




Color	Model NO	Length	Watt	Width	Cut Size
Warm	BSL50M10W120LWarm	50m/Roll	9w/m	8mm	10cm
White	BSL50M10W120LWhite	50m/Roll	9w/m	8mm	10cm

LED COB Strip

- Seamless dot-free lighting.
- Ultra bright & uniform.



SCAN ME !



Very brightness



10w/m






IP65



10mm



1 Year Warranty



Color	Model NO	Length	Watt	Width	Water proof	Cut Size
Red	JY-COB-180D-8MM	50m/Roll	10w/m	8mm	IP65	10cm
Warm	BLSCOB50MWarm	50m/Roll	10w/m	8mm	IP65	10cm
White	BLSCOB50Mwhite	50m/Roll	10w/m	8mm	IP65	10cm
Blue	BLS50M10W120Blue	50m/Roll	10w/m	8mm	IP65	10cm
Pink	JY-COB-360D-8MM	50m/Roll	10w/m	8mm	IP65	10cm

LED RGB (INDOOR)

Transform your space
with vibrant, seamless
lighting



Seamless dot free lighting.



Ultra bright & uniform




Flexible & Easy to install
(Bluetooth)



Cuttable design every (5m)



Energy Efficient



	Model NO	Length	Watt	Type	Water proof	Cut Size	Strip width
10M	B10MRGBR	10M	6w/m	5050 Meter	NO	5m	4mm
15M	B15MRGBR	15M	6w/m	5050 Meter	NO	5m	4mm
20M	B20MRGBR	20M	6w/m	5050 Meter	NO	5m	4mm

LED RGB (OUTDOOR)

Control your lightning anytime, anywhere



IP20



Remote Control



App Control (Bluetooth)




High Brightness



Energy Efficient



SCAN ME !



Bluetooth



IP20



5M Cut



6W/m Power



Bluetooth control



high Brightness

	Model No	length	Watt	Type	Cut Size	Strip width
5M	BSMRGBRB	5M	6W	5050 Meter	5M	8mm



LED BATTEN LIGHTS

Efficient illumination

AVAILABLE SIZES

B22



15W



12W



50W

E27



12W



15W

GU10 & E14



GU10



E14



Energy Saving



Smart Led



IP 20



AC 220-240V
50/60Hz



2 Years Warranty



B22



**B22
12W**
cool White



**B22
50W**
cool White



**B22
15W**
cool White



Saving Energy



AC 165-265V



Smart led



IP20



2 Years Warranty

	Model NO	Watt	Lumen	Size	Color	In cartoon
B22	BBA60B22650012	12W	1080L	120X65mm	6500K Cool white	100 PCS
	BBT140B22650050	50W	4500L	135X250mm	7000K Cool white	20 PCS
	BB20B22650110	15W	1350L	133X70mm	6500K Cool white	100 PCS

LED Bulbs

- Easy installation.
- Ultra bright & uniform.



15W/12W
E27



SCAN ME !



	Model NO	watt	Lumen	Size	Color	In cartoon
E27	XBBE60B27650012	12W	960L	110X60mm	6500K Cool white	100 PCS
	BBA60B27650015	15W	1350L	133X70mm	6500K Cool white	100 PCS



Cool white
6500K



Warm white
3000K



GU10 Base



Savin Energy



AC 165-265V



Smart led



IP20



2 Years Warranty

	Model NO	Watt	Lumen	Size	Color	In cartoon
GU 10	BBGU10ND65006	6W	640L	65x60mm	6500K Cool white	200 PCS
	BB30GU103522	6W	480L	65x60mm	3000K Warm white	200 PCS
Dimmable	BBGU10ND65006-D	6W	640L	65x60mm	6500K Cool white	200 PCS

LED Bulbs

- Easy installation.
- Satisfaction Guarantee.



SCAN ME !



**Cool White
7000K**



**Warm White
3000K**

	Model NO	watt	Lumen	Size	Color	In cartoon
E14	BB20C3765101	5W	400L	100X37mm	6500K Cool white	100 PCS
	BB20C3735200	5W	400L	100X37mm	3000K Warm white	100 PCS

LED FILAMENT BULBS

Efficient illumination

AVAILABLE SIZES



ST46



A60



G95



Eco - Friendly



instant on



IP 20



Energy Saving



AC 220-240V
50/60Hz



IDEAL FOR



cafes & Restaurant



Home & Living spaces



Decorative lighting



SCAN ME !



Savin Energy



AC 165-265V



Smart led



400L




2700K

LED Bulbs



- Easy installation.
- Long life span 30,000H.

	ST64
Model NO	BBFST64E273504
watt	4W
Lumen	400L
Size	64X148mm
Color	2700K Warm white
In cartoon	100 PCS



ST64

Product & Design



Teardrop Design
Antique Style
Stylish Appearance



Clear Glass
High Transmittance



Bright Led Filment
Low Heat
Energy Saving



E27 Socket
Easy Installation



Eco Friendly



Instant On




30,000 Hours



IP20



3Years warranty



**A60
LED Bulbs**



SCAN ME !



Savin Energy



AC 165-265V



Smart led




4000L



>0.5

	Model NO	watt	Lumen	Size	Color	In cartoon
A60	BBFA60E2735004	4W	400L	60X110mm	2700K Warm white	100 PCS



**G95
LED Bulbs**



SCAN ME !



Eco Friendly



Instant On



30,000 Hours



IP20



2 Years Warranty


	Model NO	watt	Lumen	Size	Color	In cartoon
G95	BBFA60E2735004	4W	400L	95X130mm	2700K Warm white	100 PCS



CABLES

In Compliance with British Standards

— AVAILABLE TYPES —




White Flex cable




Grey Cables



Black rubber cables



Yellow & Green earth cable



Cafés & Restaurants




Gardens & Patios



Events & Weddings



Outdoor Decor



Copper conductor

High conductivity
for maximum safety

PVC Insulation


High grade insulation
resistant to heat

PVC sheath

Flexible, durable
& weather resistant

CABLE TYPES


2 CORE



● 2X0.75/1/1.5/2.5mm

○ Ideal for single circuit festoor Lighting.

3 CORE



● 3X0.75/1/1.5/2.5mm

○ For applications with earth connection.

4 CORE



● 5X0.75/1/1.5/2.5mm

○ for multiple circuits and professional use.

Cable Code	Part No	color	Size	Meter/Reel	Outer Material	Cable Profile
3182Y	Flex 0.75 mm 2Core	White	0.75 mm	100 m/reel	PVC White	Round
	Flex 1mm 2Core	White	1 mm	100 m/reel	PVC White	Round
	Flex 1.5 mm 2Core	White	1.5 mm	100 m/reel	PVC White	Round
3183Y	Flex 2.5 mm 2Core	White	2.5 mm	100 m/reel	PVC White	Round
	Flex 0.75 mm 3 Core	White	0.75 mm	100 m/reel	PVC White	Round
	Flex 1 mm 3 Core	White	1 mm	100 m/reel	PVC White	Round
	Flex 1.5 mm 3 Core	White	1.5 mm	100 m/reel	PVC White	Round
3185Y	Flex 2.5 mm 3 Core	White	2.5 mm	100 m/reel	PVC White	Round
	Flex 0.75 mm 5 Core	White	0.75 mm	100 m/reel	PVC White	Round
	Flex 2.5 mm 2Core	White	2.5 mm	100 m/reel	PVC White	Round

Cables

- Premium quality copper conductor.
- Easy to install & maintain.
- UV & weather resistant for long life.



SCAN ME !

GREY CABLES


2 CORE
GREY CABLE

1/1.5/2.5/4/6/10mm²
3CORE
GREY CABLE

1/1.5mm²

Cable Code	Part No	color	Size	Meter/Reel	Outer Material	Cable Profile
6242Y	T&E 1 mm 2Core	Grey	1 mm	50-100 m/reel	PVC	Flat
	T&E 1.5 mm 2Core	Grey	1.5 mm	50-100 m/reel	PVC	Flat
	T&E 2.5 mm 2Core	Grey	2.5 mm	25-50-100 m/reel	PVC	Flat
	T&E 4 mm 2Core	Grey	4 mm	50-100 m/reel	PVC	Flat
	T&E 6 mm 2 Core	Grey	6 mm	50-100 m/reel	PVC	Flat
	T&E 10 mm 2 Core	Grey	10 mm	50-100 m/reel	PVC	Flat
6243Y	T&E 1 mm 3 Core	Grey	1 mm	100 m/reel	PVC	Flat
	T&E 1.5 mm 3 Core	Grey	1.5 mm	100 m/reel	PVC	Falt

BLACK RUBBER CABLE

● DURABLE ● FLEXIBLE ● HEAVY DUTY



PRODUCT TABLE

Cable Code	Part No	Color	Size	Meter/Reel	Outer Material	Cable Profile
3183TRS	TRS Rubber 0.75 mm	Black	0.75 mm	100 m/reel	PVC Black	Round
	TRS Rubber 1 mm	Black	1 mm	100 m/reel	PVC Black	Round
	TRS Rubber 1.5 mm	Black	1.5 mm	100 m/reel	PVC Black	Round
	TRS Rubber 2.5 mm	Black	2.5 mm	100 m/reel	PVC Black	Round

YELLOW & GREEN EARTH CABLE 1 CORE



Cable Code	Part No NO	color	Size	Meter & Reel	Outer Material	Cable Profile
6491X	Earth 16mm 1 core	Yellow & Green	16 mm	100 m Reel	PVC	Round



SCAN ME !



Smart LED Technology



+44(0)1618778898



+44(0)7951010562



info@brightexled.co.uk



www.brightexled.co.uk



34 Brindley Road, Manchester, M16 9HQ
www.brightexled.co.uk